

POLYURETHANE TUBE



Characteristics

- 1.Excellent performance of resistance against high-pressure, vibration, corrosion, wear, weather and bending.
- 2.High precision of inside and outside dia sizes controllable, suitable for various kinds of fittings.
- 3.Multiple colors for your selection.

Specification

Material	Polyurethane
Fluid	Air, water
Burst Pressure	30 bar
Operation Pressure	10 bar
Operating Temperature	-20°C - +60°C


Metric Size:

ITEM NO .	O.D.	I.D.	Standard Length
PU3x2	3mm	2mm	200m
PU4x2.5	4mm	2.5mm	200m
PU6x4	6mm	4mm	200m
PU8x5	8mm	5mm	100m
PU8x5.5	8mm	5.5mm	100m
PU10x6.5	10mm	6.5mm	100m
PU12x8	12mm	8mm	100m
PU16x12	16mm	12mm	100m
Pu16x13	16mm	13mm	100m

Inch Size:

ITEM NO .	O.D.	I.D.	Standard Length
PU1/8	1/8	2mm	200m
PU5/32	5/32	2.5mm	200m
PU1/4	1/4	4.23mm	200m
PU5/16	5/16	5mm	100m
PU3/8	3/8	6.35mm	100m
PU1/2	1/2	8.46mm	100m

Color



PU COIL TUBE



Characteristics

1. Excellent performance of resistance against high-pressure, vibration, corrosion, wear, weather and bending.
2. High precision of inside and outside dia sizes controllable, suitable for various kinds of fittings.
3. Free extension and easy use.

Specification

Material	Polyurethane
Fluid	Air, water
Burst Pressure	30 bar
Operation Pressure	10 bar
Operating Temperature	-20°C - +60°C

Metric Size


ITEM NO .	PUC6x4-2	PUC6x4-4	PUC6x4-6	PUC6x4-8	PUC6x4-10	PUC6x4-15	PUC6x4-20
Outer Dia (mm)	6	6	6	6	6	6	6
Inner Dia (mm)	4	4	4	4	4	4	4
Extended Length (Meters)	2	4	6	8	10	15	20

ITEM NO .	PUC8x5.5-2	PUC8x5.5-4	PUC8x5.5-6	PUC8x5.5-8	PUC8x5.5-10	PUC8x5.5-15	PUC8x5.5-20
Outer Dia (mm)	8	8	8	8	8	8	8
Inner Dia (mm)	5.5	5.5	5.5	5.5	5.5	5.5	5.5
Extended Length (Meters)	2	4	6	8	10	15	20

ITEM NO .	PUC10x6.5-2	PUC10x6.5-4	PUC10x6.5-6	PUC10x6.5-8	PUC10x6.5-10	PUC10x6.5-15	PUC10x6.5-20
Outer Dia (mm)	10	10	10	10	10	10	10
Inner Dia (mm)	6.5	6.5	6.5	6.5	6.5	6.5	6.5
Extended Length (Meters)	2	4	6	8	10	15	20

ITEM NO .	PUC12x8-2	PUC12x8-4	PUC12x8-6	PUC12x8-8	PUC10x6.5-10	PUC12x8-15	PUC12x8-20
Outer Dia (mm)	12	12	12	12	12	12	12
Inner Dia (mm)	8	8	8	8	8	8	8
Extended Length (Meters)	2	4	6	8	10	15	20

Color



Tube\Tube Cutter\Air Blow Guns

Inch Size

ITEM NO .	PUC1/8-1	PUC1/8-2	PUC1/8-5	PUC5/32-2	PUC5/32-5	PUC5/32-10	PUC5/32-15	PUC5/32-20
Outer Dia (Inch)	1/8	1/8	1/8	5/32	5/32	5/32	5/32	5/32
Inner Dia (mm)	2	2	2	2.5	2.5	2.5	2.5	2.5
Extended Length (Meters)	1	2	5	2	5	10	15	20

ITEM NO .	PUC1/4-2	PUC1/4-5	PUC1/4-10	PUC1/4-15	PUC5/16-2	PUC5/16-5	PUC5/16-10	PUC5/16-15
Outer Dia (Inch)	1/4	1/4	1/4	1/4	5/16	5/16	5/16	5/16
Inner Dia (mm)	4.23	4.23	4.23	4.23	5	5	5	5
Extended Length (Meters)	2	5	10	15	2	5	10	15

ITEM NO .	PUC5/16-20	PUC3/8-2	PUC3/8-5	PUC3/8-10	PUC3/8-15	PUC3/8-20	PUC1/2-2	PUC1/2-5
Outer Dia (Inch)	5/16	3/8	3/8	3/8	3/8	3/8	1/2	1/2
Inner Dia (mm)	5	6.35	6.35	6.35	6.35	6.35	8.46	8.46
Extended Length (Meters)	20	2	5	10	15	20	2	5

ITEM NO .	PUC1/2-10	PUC1/2-15	PUC1/2-20
Outer Dia (Inch)	1/2	1/2	1/2
Inner Dia (mm)	8.46	8.46	8.46
Extended Length (Meters)	10	15	20

Tube\Tube Cutter\Air Blow Guns

NYLON (Polyamide) TUBE(PA6,PA11,PA12)



Characteristics

- 1.Superior mechanical strength and excellent abrasive resistance, oil resistance, superior cold resistance.
- 2.High precision of inside and outside dia sizes controllable, suitable for various kinds of fittings.
- 3.High resistance to hydrocarbons oils and chemical products.
4. It is normally used on auto, machine tool, chemical and metallurgy etc.

Specification

Material	Nylon (Polyamide)
Fluid	Air, water
Burst Pressure	80 bar
Operation Pressure	20 bar
Operating Temperature	-20°C - +80°C

Tube\Tube Cutter\Air Blow Guns

Tube\Tube Cutter\Air Blow Guns








Metric Size

ITEM NO .	O.D.	I.D.	Standard Length
PA4X2	4mm	2mm	200m
PA4X2.5	4mm	2.5mm	200m
PA6X4	6mm	4mm	100m
PA8X6	8mm	6mm	100m
PA10X7.5	10mm	7.5mm	100m
PA10X8	10mm	8mm	100m
PA12X9	12mm	9mm	100m
PA12X10	12mm	10mm	100m
PA16X12	16mm	12mm	100m

Inch Size

ITEM NO .	O.D.	I.D.	Standard Length
PA1/4	1/4	4.2mm	100m
PA5/16	5/16	6mm	100m
PA3/8	3/8	6.5mm	100m
PA1/2	1/2	9.5mm	100m

Color

BU	C	O	B	G	Y	R
						
Blue	Transparent	Orange	Black	Green	Yellow	Red

