

Product List

Straight Blade Type										
NEMA Config.	Product No.	Category	Pole	Wire	Current	Voltage	Material	Certification	Page	
5-15	J-710	Plug	2	3	15	125	Nylon	UL, cUL	1	
	J-712	Connector	2	3	15	125	Nylon	UL, cUL		
	J-501	Flanged Inlet	2	3	15	125	Nylon	UL, cUL		
	J-502	Flanged Outlet	2	3	15	125	Nylon	UL, cUL		
6-15	J-720	Plug	2	3	15	250	Nylon	UL, cUL		
	J-722	Connector	2	3	15	250	Nylon	UL, cUL		
	J-505	Flanged Inlet	2	3	15	250	Nylon	UL, cUL		
5-20	J-506	Flanged Outlet	2	3	15	250	Nylon	UL, cUL		
	J-716	Plug	2	3	20	125	Nylon	UL, cUL		2
	J-718	Connector	2	3	20	125	Nylon	UL, cUL		
J-503	Flanged Inlet	2	3	20	125	Nylon	UL, cUL			
J-504	Flanged Outlet	2	3	20	125	Nylon	UL, cUL			
6-20	J-726	Plug	2	3	20	250	Nylon	UL, cUL		
	J-728	Connector	2	3	20	250	Nylon	UL, cUL		
	J-507	Flanged Inlet	2	3	20	250	Nylon	UL, cUL		
J-508	Flanged Outlet	2	3	20	250	Nylon	UL, cUL			
Locking Devices										
NEMA Config.	Product No.	Category	Pole	Wire	Current	Voltage	Material	Certification	Page	
L5-15	J-701	Plug	2	3	15	125	Nylon	UL, cUL	3	
	J-703	Connector	2	3	15	125	Nylon	UL, cUL		
	J-509	Flanged Inlet	2	3	15	125	Nylon	UL, cUL		
	J-510	Flanged Outlet	2	3	15	125	Nylon	UL, cUL		
	J-702	Receptacle	2	3	15	125	Nylon	UL, cUL		
L5-20	WJ-8320	Plug	2	3	20	125	PC+Nylon	UL, cUL		
	WJ-9320B	Connector	2	3	20	125	PC+Nylon	UL, cUL		
	J-513	Flanged Inlet	2	3	20	125	PC+Nylon	UL, cUL		
	J-514	Flanged Outlet	2	3	20	125	PC+Nylon	UL, cUL		
	WJ-6323B	Receptacle	2	3	20	125	P.B.T	UL, cUL		
L5-30	WJ-8330	Plug	2	3	30	125	PC+Nylon	UL, cUL		
	WJ-9330B	Connector	2	3	30	125	PC+Nylon	UL, cUL		
	J-517	Flanged Inlet	2	3	30	125	PC+Nylon	UL, cUL		
	J-518	Flanged Outlet	2	3	30	125	PC+Nylon	UL, cUL		
L6-15	WJ-6330B	Receptacle	2	3	30	125	P.B.T	UL, cUL		
	J-705	Plug	2	3	15	250	Nylon	UL, cUL	4	
	J-707	Connector	2	3	15	250	Nylon	UL, cUL		
	J-511	Flanged Inlet	2	3	15	250	Nylon	UL, cUL		
	J-512	Flanged Outlet	2	3	15	250	Nylon	UL, cUL		
J-706	Receptacle	2	3	15	250	Nylon	UL, cUL			
L6-20	WJ-8321	Plug	2	3	20	250	PC+Nylon	UL, cUL		
	WJ-9321B	Connector	2	3	20	250	PC+Nylon	UL, cUL		
	J-515	Flanged Inlet	2	3	20	250	PC+Nylon	UL, cUL		
	J-516	Flanged Outlet	2	3	20	250	PC+Nylon	UL, cUL		
L6-30	WJ-6322B	Receptacle	2	3	20	250	P.B.T	UL, cUL		
	WJ-8331	Plug	2	3	30	250	PC+Nylon	UL, cUL, PSE		
	WJ-9331B	Connector	2	3	30	250	PC+Nylon	UL, cUL		
	J-519	Flanged Inlet	2	3	30	250	PC+Nylon	UL, cUL		
	J-520	Flanged Outlet	2	3	30	250	PC+Nylon	UL, cUL		
WJ-6331B	Receptacle	2	3	30	250	P.B.T	UL, cUL			

Product List

Locking Devices									
NEMA Config.	Product No.	Category	Pole	Wire	Current	Voltage	Material	Certification	Page
L14-20	WJ-8420	Plug	3	4	20	125/250	PC+Nylon	UL, cUL	5
	WJ-9420B	Connector	3	4	20	125/250	PC+Nylon	UL, cUL	
	J-521	Flanged Inlet	3	4	20	125/250	PC+Nylon	UL, cUL	
	J-522	Flanged Outlet	3	4	20	125/250	PC+Nylon	UL, cUL	
	WJ-6420B	Receptacle	3	4	20	125/250	P.B.T	UL, cUL	
L14-30	WJ-8430	Plug	3	4	30	125/250	PC+Nylon	UL, cUL	
	WJ-9430B	Connector	3	4	30	125/250	PC+Nylon	UL, cUL	
	J-525	Flanged Inlet	3	4	30	125/250	PC+Nylon	UL, cUL	
	J-526	Flanged Outlet	3	4	30	125/250	PC+Nylon	UL, cUL	
L15-20	WJ-6430B	Receptacle	3	4	30	125/250	P.B.T	UL, cUL	
	WJ-8421	Plug	3	4	20	250	PC+Nylon	UL, cUL	
	WJ-9421B	Connector	3	4	20	250	PC+Nylon	UL, cUL	
	J-523	Flanged Inlet	3	4	20	250	PC+Nylon	UL, cUL	
L15-30	J-524	Flanged Outlet	3	4	20	250	PC+Nylon	UL, cUL	
	WJ-6421B	Receptacle	3	4	20	250	P.B.T	UL, cUL	
	WJ-8431	Plug	3	4	30	250	PC+Nylon	UL, cUL	
	WJ-9431B	Connector	3	4	30	250	PC+Nylon	UL, cUL	
	J-527	Flanged Inlet	3	4	30	250	PC+Nylon	UL, cUL	
L16-20	J-528	Flanged Outlet	3	4	30	250	PC+Nylon	UL, cUL	
	WJ-6436B	Receptacle	3	4	30	250	P.B.T	UL, cUL	
	WJ-8422	Plug	3	4	20	480	Nylon	UL, cUL	
	WJ-9422	Connector	3	4	20	480	Nylon	UL, cUL	
	J-529	Flanged Inlet	3	4	20	480	Nylon	UL, cUL	
L16-30	J-530	Flanged Outlet	3	4	20	480	Nylon	UL, cUL	
	WJ-8432	Plug	3	4	30	480	Nylon	UL, cUL	
	WJ-9432	Connector	3	4	30	480	Nylon	UL, cUL	
	J-531	Flanged Inlet	3	4	30	480	Nylon	UL, cUL	
L17-30	J-532	Flanged Outlet	3	4	30	480	Nylon	UL, cUL	
	WJ-8433	Plug	3	4	30	600	Nylon	UL, cUL	
	WJ-9433	Connector	3	4	30	600	Nylon	UL, cUL	
L21-20	J-533	Flanged Inlet	3	4	30	600	Nylon	UL, cUL	
	J-534	Flanged Outlet	3	4	30	600	Nylon	UL, cUL	
	WJ-8521	Plug	4	5	20	120/208	Nylon	UL, cUL	
	WJ-9521	Connector	4	5	20	120/208	Nylon	UL, cUL	
L21-30	J-535	Flanged Inlet	4	5	20	120/208	Nylon	UL, cUL	
	J-536	Flanged Outlet	4	5	20	120/208	Nylon	UL, cUL	
	WJ-8531	Plug	4	5	30	120/208	Nylon	UL, cUL	
	WJ-9531	Connector	4	5	30	120/208	Nylon	UL, cUL	
L22-20	J-537	Flanged Inlet	4	5	30	120/208	Nylon	UL, cUL	
	J-538	Flanged Outlet	4	5	30	120/208	Nylon	UL, cUL	
	WJ-8522	Plug	4	5	20	277/480	Nylon		
L22-30	WJ-9522	Connector	4	5	20	277/480	Nylon		
	J-539	Flanged Inlet	4	5	20	277/480	Nylon		
	J-540	Flanged Outlet	4	5	20	277/480	Nylon		
	WJ-8532	Plug	4	5	30	277/480	Nylon		
L22-30	WJ-9532	Connector	4	5	30	277/480	Nylon		
	J-541	Flanged Inlet	4	5	30	277/480	Nylon		
J-542	Flanged Outlet	4	5	30	277/480	Nylon			

Product List

Locking Devices									
NEMA Config.	Product No.	Category	Pole	Wire	Current	Voltage	Material	Certification	Page
L23-20	WJ-8523	Plug	4	5	20	347/600	Nylon		9
	WJ-9523	Connector	4	5	20	347/600	Nylon		
	J-543	Flanged Inlet	4	5	20	347/600	Nylon		
	J-544	Flanged Outlet	4	5	20	347/600	Nylon		
L23-30	WJ-8533	Plug	4	5	30	347/600	Nylon		
	WJ-9533	Connector	4	5	30	347/600	Nylon		
	J-545	Flanged Inlet	4	5	30	347/600	Nylon		
	J-546	Flanged Outlet	4	5	30	347/600	Nylon		
Japan Limited									
L5-20	WJ-6321B	Receptacle	2	3	20	125	Phenolic	UL, CSA	10
L6-20	WJ-6320B	Receptacle	2	3	20	250	Phenolic	UL, CSA	
L5-30	WJ-6330B	Receptacle	2	3	30	125	Phenolic	UL, CSA	
L6-30	WJ-6331B	Receptacle	2	3	30	250	Phenolic +P.B.T	UL, PSE	
L5-30	WJ-6332B	Receptacle	2	3	30	125	Phenolic	UL, CSA	
L14-30	WJ-6432B	Receptacle	3	4	30	125/250	Phenolic	UL, CSA	
L14-20	WJ-6422B	Receptacle	3	4	20	125/250	Phenolic	UL, CSA	
L14-30	WJ-6433B	Receptacle	3	4	30	125/250	Phenolic	UL, CSA	

Straight Blade Type

2 Pole 3 Wire Grounding
NEMA 5-15, 15A 125V
NEMA 6-15, 15A 250V

NEMA 5-15

NEMA 6-15

Plug



J-710



J-720

Connector



J-712



J-722

Flanged Inlet



J-501



J-505

Flanged Outlet



J-502



J-506

Straight Blade Type

2 Pole 3 Wire Grounding
NEMA 5-20, 20A 125V
NEMA 6-20, 20A 250V

NEMA 5-20

NEMA 6-20

Plug



Connector



Flanged Inlet



Flanged Outlet



Locking Devices

2 Pole 3 Wire Grounding
NEMA L5-15, 15A 125V
NEMA L5-20, 20A 125V
NEMA L5-30, 30A 125V

NEMA L5-15

NEMA L5-20

NEMA L5-30

Plug



Connector



Flanged Inlet



Flanged Outlet



Receptacle



Locking Devices

2 Pole 3 Wire Grounding
 NEMA L6-15, 15A 250V
 NEMA L6-20, 20A 250V
 NEMA L6-30, 30A 250V

NEMA L6-15

NEMA L6-20

NEMA L6-30

Plug



Material:
Nylon

J-705



Material:
PC+Nylon

WJ-8321



Material:
PC+Nylon

WJ-8331



Locking Devices

3 Pole 4 Wire Grounding
 NEMA L14-20, 20A 125/250V
 NEMA L14-30, 30A 125/250V
 NEMA L15-20, 20A 250V

NEMA L14-20

NEMA L14-30

NEMA L15-20

Plug



Material:
PC+Nylon

WJ-8420



Material:
PC+Nylon

WJ-8430



Material:
PC+Nylon

WJ-8421



Connector



Material:
Nylon

J-707



Material:
PC+Nylon

WJ-9321B



Material:
PC+Nylon

WJ-9331B



Connector



Material:
PC+Nylon

WJ-9420B



Material:
PC+Nylon

WJ-9430B



Material:
PC+Nylon

WJ-9421B



Flanged Inlet



Material:
Nylon

J-511



Material:
PC+Nylon

J-515



Material:
PC+Nylon

J-519



Flanged Inlet



Material:
PC+Nylon

J-521



Material:
PC+Nylon

J-525



Material:
PC+Nylon

J-523



Flanged Outlet



Material:
Nylon

J-512



Material:
PC+Nylon

J-516



Material:
PC+Nylon

J-520



Flanged Outlet



Material:
PC+Nylon

J-522



Material:
PC+Nylon

J-526



Material:
PC+Nylon

J-524



Receptacle



Material:
Nylon

J-706



Material:
P.B.T

WJ-6322B



Material:
P.B.T

WJ-6331B



Receptacle



Material:
P.B.T

WJ-6420B



Material:
P.B.T

WJ-6430B



Material:
P.B.T

WJ-6421B



Locking Devices

3 Pole 4 Wire Grounding
 NEMA L15-30, 30A 250V
 NEMA L16-20, 20A 480V
 NEMA L16-30, 30A 480V

NEMA L15-30 NEMA L16-20 NEMA L16-30

Plug



Connector



Flanged Inlet



Flanged Outlet



Receptacle



Locking Devices

3 Pole 4 Wire Grounding
 NEMA L17-30, 30A 600V
 4 Pole 5 Wire Grounding
 NEMA L21-20, 20A 120/208V
 NEMA L21-30, 30A 120/208V

NEMA L17-30 NEMA L21-20 NEMA L21-30

Plug



Connector



Flanged Inlet



Flanged Outlet



Locking Devices

4 Pole 5 Wire Grounding
NEMA L22-20, 20A 277/480V
NEMA L22-30, 30A 277/480V

NEMA L22-20

NEMA L22-30

Plug

Material: Nylon



WJ-8522

Material: Nylon



WJ-8532

Connector

Material: Nylon



WJ-9522

Material: Nylon



WJ-9532

Flanged Inlet

Material: Nylon



J-539

Material: Nylon



J-541

Flanged Outlet

Material: Nylon



J-540

Material: Nylon



J-542

Locking Devices

4 Pole 5 Wire Grounding
NEMA L23-20, 20A 347/600V
NEMA L23-30, 30A 347/600V

NEMA L23-20

NEMA L23-30

Plug

Material: Nylon



WJ-8523

Material: Nylon



WJ-8533

Connector

Material: Nylon



WJ-9523

Material: Nylon



WJ-9533

Flanged Inlet

Material: Nylon



J-543

Material: Nylon



J-545

Flanged Outlet

Material: Nylon



J-544

Material: Nylon



J-546

Japan Limited Locking Receptacle



WJ-6321B

NEMA L5-20, 2 Pole, 3 Wire,
20A 125V Grounding; Material: Phenolic



WJ-6320B

NEMA L6-20, 2 Pole, 3 Wire,
20A 250V Grounding; Material: Phenolic



WJ-6330B

NEMA L5-30, 2 Pole, 3 Wire,
30A 125V Grounding;
Material: Cover- Phenolic, Base- P.B.T



WJ-6331B

NEMA L6-30, 2 Pole, 3 Wire,
30A 250V Grounding;
Material: Cover- Phenolic, Base- P.B.T



WJ-6332B

NEMA L5-30, 2 Pole, 3 Wire,
30A 125V Grounding; Material: Phenolic



WJ-6432B

NEMA L14-30, 3 Pole, 4 Wire,
30A 125/250V Grounding; Material: Phenolic



WJ-6422B

NEMA L14-20, 3 Pole, 4 Wire,
20A 125/250V Grounding; Material: Phenolic



WJ-6433B

NEMA L14-30, 3 Pole, 4 Wire,
30A 125/250V Grounding; Material: Phenolic